

MBLEx Study Guide

Massage & Bodywork Licensing Examination

200+ High-Yield Terms & Concepts

- 100 scored questions | 110 minutes | computer-adaptive (CAT)
- Current 7-part FSMTB content outline - weighted by exam domain
 - Key facts, MBLEx tips & examples for every concept
- Contraindications, draping, ethics & scope of practice emphasized
 - Final review + test-day strategy

TemplateForge | \$19

PDF Workbook | templateforge.com | (c) TemplateForge

How to Use This Guide

The MBLEx is the exam used by 46 of the 49 U.S. jurisdictions that regulate massage therapy. It is a fixed-length computer-adaptive test of exactly 100 scored multiple-choice questions with 110 minutes to answer them, delivered at Pearson VUE testing centers. The result is PASS or FAIL (plus a diagnostic summary by content area) - there is no numeric score. This guide organizes the high-yield terms and concepts by the official seven content domains, weighted to match how the test is built.

Work through the seven domain sections in order on your first pass. Each concept gives you the key facts, a high-yield MBLEx tip, and a practical example. Mark anything unfamiliar and come back to it 48 hours later. The professional-practice domains - Client Assessment (17%), Ethics, Boundaries, Laws & Regulations (16%), and Guidelines for Professional Practice (15%) - together make up roughly half the exam, so budget your review time accordingly: professional-practice concepts deserve as many reps as anatomy.

How to use the concepts

- Each concept = term + key facts + high-yield MBLEx tip (+ example where useful).
- First pass: read every concept in order. Underline anything unfamiliar.
- Second pass: focus only on the concepts you underlined.
- Two weeks before test day: rapid-review every tip line (they are the highest-yield).
- Use the Table of Contents to jump straight to your weakest domains.
- Pair this guide with the FSMTB Candidate Handbook and practice questions - the CAT format and timing matter as much as the content.

Note: this is an independent study aid, not affiliated with or endorsed by the Federation of State Massage Therapy Boards (FSMTB) or any of its member boards. Exam formats and requirements can change - verify current detail with the FSMTB Candidate Handbook ([fsmtb.org](https://www.fsmtb.org)) and your state board.

Table of Contents

Part 1: Exam Overview - The MBLEx

Part 2: Anatomy & Physiology (11% of exam)

19 concepts

Part 3: Kinesiology (12%)

20 concepts

Part 4: Pathology, Contraindications & Special Populations (14%)

24 concepts

Part 5: Benefits & Effects of Soft Tissue Manipulation (15%)

26 concepts

Part 6: Client Assessment, Reassessment & Treatment Planning (17%)

29 concepts

Part 7: Ethics, Boundaries, Laws & Regulations (16%)

27 concepts

Part 8: Guidelines for Professional Practice (15%)

25 concepts

Part 9: Final Review - Rapid-Review of the Highest-Yield Items

Part 10: Test-Day Strategy

PART 1: EXAM OVERVIEW - THE MBLEx

Fixed-length CAT, exactly 100 scored questions, 110 minutes, Pearson VUE, \$265 fee, PASS/FAIL. Know the logistics cold - there are no surprises on MBLEx test day.

1 What Is the MBLEx

- Key facts:** The Massage & Bodywork Licensing Examination (MBLEx) is the national exam used for initial licensure or certification in 46 of the 49 U.S. jurisdictions that regulate massage therapy. It is administered by the Federation of State Massage Therapy Boards (FSMTB).
- MBLEx tip:** *Know the number 46 - exam questions about 'which states use the MBLEx' hinge on it.*
- Example:** A therapist licensed in Texas moves to a new state that regulates massage; that state almost certainly accepts the MBLEx score for licensure.

2 Computer-Adaptive Test (CAT)

- Key facts:** The MBLEx is a fixed-length computer-adaptive test: exactly 100 scored questions, and the difficulty of each question adapts to your performance on prior ones. Get a question right and the next is likely harder; get one wrong and the next is likely easier - your score reflects the difficulty level you sustain.
- MBLEx tip:** *Do not panic when a question feels hard or easy - the CAT is targeting your ability. Stay consistent and answer every item.*
- Example:** You answer items 50-60 correctly and notice the questions getting harder; that means the exam is following your high performance - keep going.

3 Question Format

- Key facts:** All items are multiple-choice with 3 or 4 answer options. There is exactly one correct answer; the exam does not penalize guessing, but unanswered questions are counted wrong, so you should answer every question.
- MBLEx tip:** *Never leave an item blank. Process of elimination plus an educated guess beats a skipped question every time.*
- Example:** You are unsure between two of four options on question 72 - eliminate the two obvious distractors and pick the better of the remaining two.

4 Time: 110 Minutes

- Key facts:** You get 110 minutes to answer the 100 scored questions - about 66 seconds per question on average. Your appointment at Pearson VUE includes check-in and instructions in addition to the timed exam.
- MBLEx tip:** *Pace in quarters: roughly 25 minutes per 25 questions. If you are stuck past 90 seconds on an item, mark your best answer and move on.*
- Example:** At question 30 on the clock you are at minute 32 - you are on pace at roughly a minute per question.

5 Delivered at Pearson VUE

- Key facts:** The MBLEx is a computer-based exam delivered in person at Pearson VUE testing centers. You schedule your appointment through your FSMTB account after your eligibility is confirmed.
- MBLEx tip:** *Schedule early in your state's window; centers fill up, and your eligibility period is limited.*
- Example:** You book a Saturday slot at the nearest Pearson VUE center two weeks before your planned test date.

6 Fee: \$265

- Key facts:** The nonrefundable FSMTB exam fee is \$265. State board application and licensure fees are separate and set by each state.
- MBLEx tip:** *Know that \$265 is the FSMTB exam fee and it is nonrefundable - do not miss your appointment.*
- Example:** You pay \$265 to FSMTB when you register for the exam, then a separate application fee to your state's massage board.

7 Pass/Fail Scoring

- Key facts:** Since 2017 the MBLEx reports only PASS or FAIL - there is no numeric or scaled score. Your result is based on a criterion-referenced standard: a passing performance is defined by mastery of the exam content, not by competing against other candidates.
- MBLEx tip:** *Do not search for a 'passing number' - the official result is simply PASS or FAIL with a diagnostic summary.*
- Example:** Your diagnostic report shows you performed well in Ethics but poorly in Kinesiology, yet the result line simply says PASS.

8

Diagnostic Summary by Domain

Key facts: After the exam you receive a diagnostic summary showing your performance in each of the seven content domains (for example, whether each area was above, at, or below the passing standard). It is a study tool - it is not part of the pass/fail decision and is not reported numerically.

MBLEx tip: *Use the diagnostic summary to target your weakest domain if you need to retake within 30 days.*

Example: Your summary flags 'Pathology, Contraindications & Special Populations' as below standard - that tells you exactly where to study.

9

Retake Policy: 30 Days

Key facts: If you do not pass, you may retake the MBLEx 30 days after your attempt. You must submit a new registration and pay the fee again; some states cap the number of attempts or require board approval.

MBLEx tip: *Know the 30-day wait - it is the standard answer, and several states add their own rules on top.*

Example: You fail on a Saturday in March; the earliest you can test again is 30 days later in April.

10

Who Regulates & Non-Affiliation

Key facts: FSMTB administers the exam for member boards; each state's massage board sets its own license requirements, hours of education, and scope of practice. This guide is an independent study aid - not affiliated with, endorsed by, or sponsored by FSMTB or any state board.

MBLEx tip: *Verify every rule with the FSMTB Candidate Handbook and your specific state board - laws vary state to state.*

Example: Your license requirements are set by your state's board, not by FSMTB - the exam is only one piece of licensure.

PART 2: ANATOMY & PHYSIOLOGY (11% OF EXAM)

Skeletal, muscular, nervous, circulatory, lymphatic, respiratory, integumentary and endocrine basics. The MBLEx tests applied anatomy - you must name the structure AND say what it does for the body.

1 Anatomical Position

- Key facts:** The standard reference position: body standing upright, facing forward, arms at the sides with palms facing forward, feet parallel. All directional terms (anterior, posterior, medial, lateral, proximal, distal, superior, inferior) are defined relative to this position.
- MBLEx tip:** *Directional questions assume anatomical position - a palm facing backward will flip 'anterior' and 'posterior' answers.*
- Example:** The heart is medial to the arms and superior to the diaphragm in anatomical position.

2 Planes of the Body

- Key facts:** The sagittal plane divides the body into left and right; the frontal (coronal) plane divides it into front and back; the transverse (horizontal) plane divides it into top and bottom. Movements are described as happening in a plane.
- MBLEx tip:** *Match the plane to the cut: sagittal = left/right, frontal = front/back, transverse = top/bottom.*
- Example:** A sagittal view of the skull shows the left and right halves.

3 Bone Tissue Types

- Key facts:** Compact bone is the dense outer layer; spongy (cancellous) bone is the lighter, porous inner layer found at the ends of long bones and inside flat bones. Periosteum is the connective-tissue membrane covering bone that carries blood vessels and nerves.
- MBLEx tip:** *Periosteum = the bone's 'skin' - it is what you feel when you palpate and where massage can influence circulation.*
- Example:** Long bones like the femur have compact bone in the shaft and spongy bone at the ends near the joints.

4 Joint Types by Movement

- Key facts:** Joints are classified by structure and movement: freely movable (synovial - the elbow, knee, shoulder), slightly movable (cartilaginous - the spine's intervertebral discs), and immovable (fibrous - sutures of the skull).
- MBLEx tip:** *The classic match: synovial = free movement, cartilaginous = slight movement, fibrous = no movement.*
- Example:** The knee is a synovial joint; the joints between skull bones are fibrous.

5 Synovial Joint Shapes

- Key facts:** Synovial joints are shaped by their motion: hinge (elbow, knee - one plane), ball-and-socket (shoulder, hip - multiaxial), pivot (neck, radius - rotation), condyloid (wrist), saddle (thumb), and gliding (between carpals).
- MBLEx tip:** *The MBLEx pairs shape with example - hinge = elbow, ball-and-socket = hip, pivot = C1-C2 of the neck.*
- Example:** The shoulder and hip are the two ball-and-socket joints of the body.

6 Joint Movements

- Key facts:** Flexion decreases a joint angle; extension increases it. Abduction moves a limb away from the midline; adduction brings it back. Rotation turns a bone around its own axis; circumduction traces a cone. Pronation/supination are forearm rotations; inversion/eversion are foot movements.
- MBLEx tip:** *Learn movement pairs: flexion/extension, abduction/adduction, rotation/circumduction, pronation/supination - the MBLEx asks which term names which motion.*
- Example:** Raising your arm out to the side is abduction; lowering it back down is adduction.

7 Muscle Contraction Basics

- Key facts:** Muscles contract when the sarcomere shortens: actin filaments slide past myosin filaments, pulling the Z-lines together - the sliding filament model. Contraction requires calcium and ATP; a motor unit is one motor neuron plus all the muscle fibers it stimulates.
- MBLEx tip:** *ATP = energy, calcium = the 'go' signal, actin/myosin = the sliding machinery - those three points answer most contraction questions.*
- Example:** When you flex your elbow, the biceps brachii shortens as actin slides past myosin in each sarcomere.

8 Agonist, Antagonist & Synergist

Key facts:	The agonist (prime mover) is the muscle producing the movement; the antagonist opposes it and relaxes or controls it; synergists assist the prime mover and stabilizers (fixators) hold the joint steady.
MBLEx tip:	<i>Identify the mover first: flexing the elbow makes the biceps the agonist and the triceps the antagonist.</i>
Example:	In a biceps curl, the biceps brachii is the agonist and the triceps brachii is the antagonist.

9 Origin, Insertion & Belly

Key facts:	The origin is the muscle's fixed (usually proximal) attachment; the insertion is the moveable (usually distal) attachment; the belly is the fleshy middle. The muscle pulls the insertion toward the origin when it contracts.
MBLEx tip:	<i>The insertion is the bone that moves - that is how you predict what a contraction does.</i>
Example:	The biceps originates at the shoulder region and inserts on the radius, so it pulls the forearm up.

10 Muscles of the Back

Key facts:	Superficial back muscles: trapezius (upper/mid/lower - scapular movement and neck extension), latissimus dorsi (shoulder extension/adduction - 'the lats'), rhomboids (retract the scapula), erector spinae (spinal extension and posture).
MBLEx tip:	<i>Trapezius moves the scapula up/down/retracts; rhomboids retract; latissimus dorsi pulls the arm down and back.</i>
Example:	Rowing a boat strongly recruits the latissimus dorsi and rhomboids.

11 Muscles of the Shoulder & Chest

Key facts:	Deltoid abducts the arm; pectoralis major adducts and internally rotates the arm; rotator cuff (supraspinatus, infraspinatus, teres minor, subscapularis) stabilizes the shoulder and rotates it - SITS is the memory aid; serratus anterior protracts and stabilizes the scapula.
MBLEx tip:	<i>Rotator cuff = SITS (Supraspinatus, Infraspinatus, Teres minor, Subscapularis) - four small muscles that hold the humeral head in the socket.</i>
Example:	The supraspinatus initiates arm abduction for the first 15 degrees; the deltoid takes over.

12 Muscles of the Arm, Forearm & Hand

Key facts:	Biceps brachii flexes the elbow and supinates the forearm; triceps brachii extends the elbow; brachioradialis and wrist flexors/extensors move the forearm and hand; thenar muscles move the thumb.
MBLEx tip:	<i>Opposites: biceps = flexion, triceps = extension. The MBLEx tests one or the other.</i>
Example:	Pushing a door open is a triceps action; pulling a lever toward you is biceps.

13 Muscles of the Hip & Leg

Key facts:	Iliopsoas and rectus femoris flex the hip; gluteus maximus extends the hip; gluteus medius abducts the hip and stabilizes the pelvis when walking; adductors (adductor group) adduct the thigh; hamstrings (biceps femoris, semitendinosus, semimembranosus) flex the knee and extend the hip; quadriceps (vastus lateralis, medialis, intermedius, rectus femoris) extend the knee.
MBLEx tip:	<i>Hamstrings = knee flexion; quadriceps = knee extension; gluteus maximus = hip extension; iliopsoas = hip flexion.</i>
Example:	Kicking a ball forward uses the quadriceps to extend the knee and the iliopsoas to flex the hip.

14 Muscles of the Neck & Head

Key facts:	Scalenes and sternocleidomastoid (SCM) flex and rotate the neck; the anterior scalenes lift the first rib (accessory breathing); the suboccipitals are small postural muscles at the base of the skull; the masseter and temporalis are the jaw-closing (mastication) muscles.
MBLEx tip:	<i>SCM = the big neck rotator; masseter and temporalis = chewing muscles; scalenes = accessory breathers.</i>
Example:	Turning your head to look over your left shoulder contracts the left SCM.

15 Nervous System Divisions

Key facts:	The central nervous system (CNS) is the brain and spinal cord; the peripheral nervous system (PNS) is everything else. The PNS splits into the somatic (voluntary movement and sensation) and autonomic (involuntary organ control) systems; the autonomic splits into sympathetic (fight-or-flight) and parasympathetic (rest-and-digest).
MBLEx tip:	<i>Massage shifts the autonomic balance toward the parasympathetic - that phrase answers many 'why massage helps stress' questions.</i>
Example:	Your heart rate slows and digestion picks up after a relaxing massage - parasympathetic dominance.

16 Major Nerves of the Arm & Leg

Key facts:	Median nerve (thumb side of the forearm, carpal tunnel); ulnar nerve (funny-bone, pinky side); radial nerve (back of the arm, wrist extension). Sciatic nerve (largest nerve, runs down the back of the leg); femoral nerve (front of the thigh).
MBLEx tip:	<i>Carpal tunnel = median nerve; sciatic = down the back of the leg - the two nerve eponyms the MBLEx loves.</i>
Example:	Numbness in the thumb and index finger suggests the median nerve is involved.

17 Dermatomes

Key facts:	A dermatome is a strip of skin supplied by a single spinal nerve root. Dermatome maps let you connect skin sensation to a spinal level; the sciatic nerve and its dermatomes (L4-S3) matter most to massage therapists treating leg symptoms.
MBLEx tip:	<i>Dermatomes = skin-to-spinal-level maps - symptoms in a dermatome help you localize a nerve root.</i>
Example:	Tingling along the outside of the foot points to the S1 dermatome.

18 Circulatory & Lymphatic Systems

Key facts:	The heart pumps blood through arteries (away), capillaries (exchange), and veins (return). The lymphatic system collects interstitial fluid (lymph), filters it through lymph nodes, and returns it to the blood at the subclavian veins - it also carries immune cells.
MBLEx tip:	<i>Lymph flow depends on movement and pressure changes - that is the physiological basis of lymphatic drainage techniques.</i>
Example:	Muscle contractions during a massage help squeeze lymph along the vessels toward the chest.

19 Skin Layers & Fascia

Key facts:	The skin has three layers: epidermis (outer), dermis (middle - blood vessels, nerves, glands), hypodermis/subcutaneous (fat and connective tissue). Fascia is the connective-tissue web that surrounds muscles, organs, nerves and vessels - it gives support and transmits tension.
MBLEx tip:	<i>Fascia = the body-wide connective tissue network; 'myofascial' means muscle-plus-its-fascia.</i>
Example:	When you feel a taut band in a muscle, you are feeling the muscle and its fascia together.

20 Integumentary & Endocrine Basics

Key facts:	The skin protects, regulates temperature (sweat, blood flow), and senses touch/pressure. Endocrine glands (thyroid, pituitary, pancreas, adrenals, ovaries/testes) release hormones that travel in the blood to regulate metabolism, stress response, and reproduction.
MBLEx tip:	<i>The skin's sensory receptors (mechanoreceptors, thermoreceptors, nociceptors) are why touch itself has effects - the MBLEx links them to the benefits of massage.</i>
Example:	Light touch activates mechanoreceptors in the dermis, sending signals up the spinal cord to the brain.

21 Temperature, Pulse & Respiration Basics

Key facts:	Normal adult vital signs: temperature about 98.6 F (37 C), resting pulse 60-100 beats per minute, respiration 12-20 breaths per minute, blood pressure around 120/80. Massage can lower heart rate, blood pressure, and respiratory rate by shifting toward parasympathetic tone.
MBLEx tip:	<i>Know the normal ranges - the MBLEx uses them to test your ability to spot a client who needs medical attention first.</i>
Example:	A client's resting pulse of 55 with normal respiration is usually fine for an athlete, but a pulse of 110 at rest is a red flag.

PART 3: KINESIOLOGY (12% OF EXAM)

Range of motion, planes and axes, muscle roles, levers, stretching, posture and gait. Kinesiology is applied anatomy - how muscles, bones and joints actually move the body.

1 Range of Motion (ROM)

Key facts:	Range of motion is the amount of movement available at a joint, measured in degrees. Active ROM is what the client can do themselves; passive ROM is what you can move for them. Comparing active to passive ROM helps identify whether limitations come from muscle weakness or from joint/tissue restriction.
MBLEx tip:	<i>Active less than passive = strength or control issue; both limited = joint or tissue restriction.</i>
Example:	A client can flex the shoulder to 90 degrees actively but you can move it to 150 passively - the limit is in the client's strength.

2 Closed vs Open Kinetic Chain

Key facts:	A closed kinetic chain has a fixed distal segment (feet planted - squats, push-ups); an open kinetic chain has a free distal segment (leg extension, arm curls). Closed-chain exercises load the joint and use multiple muscles; open-chain isolate single muscles.
MBLEx tip:	<i>Closed = fixed end (squat, push-up); open = free end (leg extension, biceps curl).</i>
Example:	A squat is a closed-chain exercise; a seated leg-extension is open-chain.

3 Levers in the Body

Key facts:	A lever has a fulcrum (joint), an effort (muscle force), and a load (resistance). First-class levers have the fulcrum in the middle (head on the neck). Second-class have the load in the middle (standing on toes - calf raise). Third-class have the effort in the middle - most body levers, giving speed and range at the cost of force.
MBLEx tip:	<i>Most body levers are third-class (effort in the middle) - that is why muscles must pull hard to move light loads fast.</i>
Example:	The elbow flexing to lift a cup is a third-class lever.

4 Isometric vs Isotonic

Key facts:	Isometric contractions hold a joint angle constant while producing force (pushing against a wall - no movement). Isotonic contractions change muscle length while producing force: concentric shortens the muscle (lifting), eccentric lengthens it under load (lowering).
MBLEx tip:	<i>Isometric = same length; concentric = shortening; eccentric = lengthening under tension.</i>
Example:	Slowly lowering a dumbbell is eccentric; the lifting phase is concentric.

5 Muscle Roles Recap

Key facts:	The prime mover (agonist) drives the movement; the antagonist opposes it; synergists assist; stabilizers (fixators) anchor the joint. Reciprocal inhibition is the reflex that relaxes the antagonist when the agonist contracts.
MBLEx tip:	<i>Reciprocal inhibition explains why stretching works: contracting a muscle relaxes its opposite.</i>
Example:	When you contract your biceps, your triceps reflexively relaxes - that is reciprocal inhibition.

6 Stretching Types

Key facts:	Static stretching holds a position at end range (best after activity for flexibility). Ballistic stretching uses bouncing motions (generally avoided - can trigger the stretch reflex). Dynamic stretching moves through range without holding (good warm-up). Proprioceptive neuromuscular facilitation (PNF) uses contract-relax cycles to increase range.
MBLEx tip:	<i>Match the situation: dynamic before activity, static after, PNF for targeted range gains.</i>
Example:	A pre-sports client gets dynamic leg swings, not static long holds.

7 Proprioception

Key facts:	Proprioception is the body's sense of its own position and movement in space, driven by receptors in muscles, tendons, joints, and skin (muscle spindles, Golgi tendon organs, joint receptors). It lets you move without looking.
MBLEx tip:	<i>Muscle spindle = length sensor; Golgi tendon organ = tension sensor - the two receptors the MBLEx pairs with proprioception.</i>
Example:	Closing your eyes and touching your nose works because proprioceptors track limb position.

8 Stretch Reflex vs Tendon Reflex

Key facts: The stretch (myotatic) reflex makes a muscle contract when it is stretched quickly - the muscle spindle's response, protecting the muscle (this is why ballistic stretching is risky). The Golgi tendon organ reflex makes a muscle relax when tension is very high, protecting tendon and muscle from tearing.

MBLEx tip: *Fast stretch = spindle contraction (protect); very high tension = GTO relaxation (protect).*

Example: A knee-jerk test taps the patellar tendon and the quadriceps contracts - the stretch reflex.

9 Postural Analysis

Key facts: Postural assessment is observing a client standing, seated, and moving to find asymmetries: head position, shoulder height, pelvic tilt, spinal curves, and weight distribution. Common faults: forward head, rounded shoulders, anterior pelvic tilt.

MBLEx tip: *Look at the whole chain: a forward head usually pulls rounded shoulders and a forward pelvis with it.*

Example: From the side, a client's ear, shoulder, hip, and ankle should roughly line up vertically.

10 Spinal Curves & Posture Types

Key facts: Normal spinal curves: cervical lordosis, thoracic kyphosis, lumbar lordosis, sacral kyphosis. Hyper-kyphosis is an exaggerated thoracic curve (hunchback); hyper-lordosis is exaggerated lumbar curve (swayback); scoliosis is a lateral S-shaped curve of the spine.

MBLEx tip: *Kyphosis = exaggerated thoracic round; lordosis = exaggerated lumbar arch; scoliosis = lateral curve.*

Example: A client with a pronounced 'hunch' has hyperkyphosis; a client with a deep lower-back arch has hyperlordosis.

11 Gait Cycle Basics

Key facts: The gait cycle is one full stride: the stance phase (foot on the ground - heel strike, midstance, toe-off) and the swing phase (foot in the air). The gluteus medius stabilizes the pelvis during stance; a Trendelenburg gait (pelvis drops) signals gluteus medius weakness.

MBLEx tip: *Trendelenburg = dropped pelvis on the swing side = weak gluteus medius - a named kinesiology finding the MBLEx tests.*

Example: A client whose pelvis tilts down on one side while walking likely needs gluteus medius work.

12 Gait Deviations

Key facts: Common gait deviations: antalgic gait (limping, avoiding weight on painful leg), Trendelenburg, steppage (foot drop), and short-stance/stiff-knee patterns. Gait changes are a referral cue when they are new, painful, or asymmetric.

MBLEx tip: *A new painful limp is a red flag - assess and refer rather than treat the symptom blindly.*

Example: An athlete who suddenly limps after a sprained ankle needs the ankle evaluated before deeper bodywork.

13 Joint End-Feel

Key facts: End-feel is the sensation at the limit of passive joint motion: bony (bone on bone), capsular (firm - ligament/capsule), muscular (soft - tissue stretch), and springy (meniscus/loose body). Abnormal end-feel can indicate a joint problem.

MBLEx tip: *Bony = hard stop; soft = muscle; springy = internal derangement (meniscus) - abnormal springy end-feel warrants referral.*

Example: The elbow hitting a hard stop in extension is a bony end-feel.

14 Hypertonicity vs Hypotonicity

Key facts: Hypertonicity is abnormally high muscle tone (tight, overactive - common in stress and overuse patterns); hypotonicity is low tone (floppy, weak). Both alter posture and movement and guide whether a treatment should relax or strengthen.

MBLEx tip: *Hyper = tight, hypo = weak - your treatment choice (relaxation vs activation) follows the tone.*

Example: Trapezius hypertonicity from desk posture responds to relaxation work; a hypotonic core responds to activation.

15 Trigger Points

Key facts: A trigger point is a hyperirritable spot in a taut band of muscle that is tender and can refer pain to other areas (referred pain patterns). Active trigger points produce symptoms at rest; latent ones only when pressed. Static compression and myofascial release are common approaches.

MBLEx tip: *Trigger point = tender spot in a taut band that refers pain; active = symptoms, latent = only on pressure.*

Example: Pressing a spot in the gluteus medius reproduces the client's lateral hip and thigh pain - a latent trigger point.

16 Postural vs Phasic Muscles

Key facts:	Postural (tonic) muscles tend to shorten and tighten with chronic posture (pectorals, hip flexors, hamstrings, upper trapezius, erector spinae). Phasic (dynamic) muscles tend to weaken (deep neck flexors, mid/lower trapezius, rhomboids, gluteals, core).
MBLEx tip:	<i>Tight = postural; weak = phasic. The MBLEx pairs the imbalance: tight pecs + weak upper-back retractors.</i>
Example:	Desk workers typically have tightened pectorals and weakened rhomboids and lower trapezius.

17 Fascial Lines / Tensegrity

Key facts:	Fascia forms continuous lines of tension across the body (for example, the superficial back line from the foot to the forehead). Tensegrity means the body's structure is supported by continuous tension and local compression - why a restriction in one area can strain a distant one.
MBLEx tip:	<i>Fascial continuity explains distant symptoms: a plantar-foot restriction can pull on the whole back line.</i>
Example:	Tight calf fascia often worsens a client's low-back tension through the superficial back line.

18 Wolff's Law & Bone Response

Key facts:	Wolff's law states that bone adapts to the loads placed on it - it thickens where stressed and weakens when unloaded. Connective tissue in general remodels along lines of tension (creep, mechanotransduction).
MBLEx tip:	<i>Wolff's law = bone follows load; it explains why myofascial work and movement change tissue over time.</i>
Example:	Weight-bearing exercise increases bone density because bone builds where stress is applied.

19 Ergonomics for the Client

Key facts:	Ergonomics is fitting the task to the person: desk height, chair support, monitor position, and work-station setup. Client education on workstation ergonomics prevents the postural patterns (forward head, rounded shoulders) that bring them to your table.
MBLEx tip:	<i>Offer one ergonomic fix per session - measurable client education is a documented part of treatment.</i>
Example:	Raising a monitor to eye level removes a forward-head posture in an office worker.

20 Planes of Motion Recap

Key facts:	Movement happens in a plane and around an axis: flexion/extension in the sagittal plane; abduction/adduction in the frontal plane; rotation in the transverse plane. Exercises and assessments are described by plane (a biceps curl is sagittal-plane motion).
MBLEx tip:	<i>Plane + movement pairs: sagittal = flexion/extension, frontal = abduction/adduction, transverse = rotation.</i>
Example:	A jumping jack spreads the arms and legs in the frontal plane.

21 Assessment of Muscle Imbalance

Key facts:	To assess imbalance: compare left vs right strength and length, active vs passive ROM, and posture in stance. A common screen is the overhead squat or shoulder-raise test, which reveals how the client compensates around a weak or tight link.
MBLEx tip:	<i>Record objective numbers (degrees, reps, side-to-side difference) - documentation needs measurable data.</i>
Example:	Your screen shows the client's left shoulder raises 20 degrees lower than the right - an objective finding to record.

PART 4: PATHOLOGY, CONTRAINDICATIONS & SPECIAL POPULATIONS (14% OF EXAM)

The highest-stakes domain: knowing when NOT to treat, how to modify, and when to refer. Absolute contraindication = no massage; local = avoid the area; modify = adjust the treatment.

1 Contraindication vs Precaution

Key facts:	A contraindication is a condition or situation in which massage should not be performed (absolutely or in the affected area). A caution (precaution) is a condition requiring modification - slower, lighter, shorter, or re-positioned work.
MBLEx tip:	<i>Absolute = no massage; local = avoid that area; caution = modify. This three-way split answers many MBLEx items.</i>
Example:	Fever is an absolute contraindication; a client with mild hypertension can usually have massage with light-to-moderate pressure.

2 Absolute Contraindications

Key facts:	Conditions that forbid massage entirely include: fever/infectious illness, contagious skin conditions, acute DVT/blood clot, severe uncontrolled conditions, and conditions where the client's physician has not cleared massage. Massage is a 'wait until resolved' situation for acute illness.
MBLEx tip:	<i>Fever, contagious rash, and known DVT are the classic absolutes - when in doubt, do not treat.</i>
Example:	A client arrives with a fever and body aches - reschedule until they recover.

3 Local Contraindications

Key facts:	Local contraindications restrict the affected area only: varicose veins, recent bruises, open wounds, burns, skin infections, rash, or inflammation directly over the area. Work elsewhere, avoid the site, or modify.
MBLEx tip:	<i>Local = 'avoid that spot, treat everything else' - protect the lesion, do not massage it.</i>
Example:	A client has a healing shin scrape; you massage the calves but skip directly over the wound.

4 Deep Vein Thrombosis (DVT)

Key facts:	DVT is a blood clot in a deep vein (commonly the calf or thigh), a potentially fatal condition if the clot travels to the lungs (pulmonary embolism). DVT is an ABSOLUTE contraindication - massage could dislodge the clot. Risk factors: immobility, surgery, pregnancy, trauma, some medications.
MBLEx tip:	<i>DVT = absolute contraindication - never massage the limb. Swelling in one leg with pain after immobility warrants a physician check first.</i>
Example:	A client reports unilateral calf pain and swelling after a long flight - stop, do not massage, and refer to a physician.

5 Varicose Veins

Key facts:	Varicose veins are dilated, twisted superficial veins (often in the legs) with weakened valves. Massage is a LOCAL contraindication - avoid direct pressure over varicose veins because it can damage the vessel; work around them with light touch.
MBLEx tip:	<i>Varicose = local avoid - never bear down directly on the vein; treat the rest of the leg gently.</i>
Example:	A client's medial calf shows ropey blue veins; you adjust your stroke to avoid them.

6 Skin Infections & Contagious Conditions

Key facts:	Bacterial, fungal, and viral skin conditions (impetigo, ringworm, herpes cold sores, warts, shingles) are contagious or locally irritative. Active contagious lesions are a contraindication - treat, refer to a physician, and disrobe only after visual inspection.
MBLEx tip:	<i>Visual skin check is part of your pre-treatment routine - any active contagious-looking lesion means no treatment of that area until cleared.</i>
Example:	A client reveals a cold sore at the corner of the mouth - you defer facial-area work for that session.

7 Cancer & Oncology Massage

Key facts:	Massage for a cancer client is not automatically contraindicated: it is usually safe with modifications, but you must follow the treating physician's guidance, avoid direct work over active tumor sites, use lighter pressure, and watch for fragile skin, radiation sites, and central lines.
MBLEx tip:	<i>Cancer = modify and coordinate with the care team, not an automatic 'no' - avoid the treatment sites and use light pressure.</i>
Example:	A client undergoing chemotherapy wants hand and foot massage; the oncology team has cleared it - you proceed with light, gentle work.

8 Lymphedema & Post-Mastectomy

- Key facts:** Lymphedema is swelling from impaired lymph drainage (often after lymph-node removal). Manual lymphatic drainage uses very light, directed strokes toward lymph drainage areas and is performed by therapists trained in MLD - deep pressure can worsen swelling.
- MBEx tip:** *Lymph work = light and directional - deep pressure on a lymphedematous limb is wrong.*
- Example:** A post-mastectomy client with arm swelling receives slow, light strokes from the hand toward the shoulder.

9 Osteoporosis

- Key facts:** Osteoporosis is reduced bone density with increased fracture risk (common in postmenopausal women and older adults). Massage is a caution: use light-to-moderate pressure, avoid deep pressure over the spine and ribs, avoid strong stretching and joint compression.
- MBEx tip:** *Osteoporosis = caution - light touch, no deep pressure on bones, no forceful stretching.*
- Example:** An 80-year-old client with osteoporosis gets gentle back work without deep prone pressure on the spine.

10 Pregnancy

- Key facts:** Pregnancy is generally a caution requiring modification: use side-lying positioning after the first trimester, avoid deep pressure over the abdomen, avoid strong pressure on certain points, and be mindful of the increased risk of DVT and aortocaval compression in late supine positioning.
- MBEx tip:** *Pregnancy = modify: side-lying, no deep abdominal work, gentle - and confirm the client's obstetric care is ongoing.*
- Example:** A 7-month-pregnant client is positioned side-lying with pillows; deep leg work is avoided.

11 Hypertension

- Key facts:** Hypertension (high blood pressure) is a caution: untreated or severe hypertension may warrant physician clearance; moderate hypertension generally allows massage but avoid very vigorous work and hot-stone extreme heat, and be ready to stop if the client feels unwell.
- MBEx tip:** *Tight pressure + hot packs on a hypertensive client can raise blood pressure - keep it moderate and check subjective well-being.*
- Example:** A client with well-controlled hypertension gets a medium-pressure session and reports feeling relaxed afterward.

12 Diabetes

- Key facts:** Diabetes is a caution: clients may have reduced sensation (neuropathy) and poor healing in the feet, fragile skin, and variable blood sugar. Use light-to-moderate pressure, inspect the skin, avoid aggressive work on the feet, and keep sessions scheduled around meals and medication.
- MBEx tip:** *Diabetic feet = inspect, light pressure, no aggressive work - sensation may be reduced.*
- Example:** A diabetic client's feet feel numb to light touch; you use gentle work and check the skin after.

13 Epilepsy / Seizure Disorders

- Key facts:** Epilepsy is a caution: most clients with controlled seizures tolerate massage well, but you should know the client's triggers, avoid overstimulation, and follow the plan if a seizure occurs during the session (protect the head, clear the area, time it, call for help if prolonged).
- MBEx tip:** *Know the seizure action plan before you start - protective positioning is the immediate response.*
- Example:** A client with controlled epilepsy requests a quiet, low-stimulus session; you dim the lights and keep strokes slow.

14 Acute Inflammation & Recent Injury

- Key facts:** Acute inflammation (RICE - rest, ice, compression, elevation) is a local contraindication: the first 24-72 hours after a strain/sprain should be protected, not massaged. Massage can disrupt the healing process if applied too early or too firmly.
- MBEx tip:** *Recent injury (<72 hours) + heat/swelling = avoid massage over the area; send them home with RICE.*
- Example:** A client sprained an ankle yesterday; you defer ankle work and treat the unaffected areas.

15 Rheumatoid Arthritis & Autoimmune Flare

Key facts: Rheumatoid arthritis is an inflammatory autoimmune condition. During an acute flare, massage over inflamed joints is a local contraindication; between flares, gentle work can help. Other autoimmunes (lupus, MS) are cautions - work gently, respect fatigue, and check for skin sensitivity.

MBLEx tip: *Active flare = avoid the inflamed joints, work gently elsewhere; stable autoimmune = light, well-tolerated work.*

Example: A client's wrists are hot and swollen from an RA flare today - no work on the wrists this session.

16 Cardiovascular Conditions

Key facts: Heart conditions (recent heart attack, uncontrolled angina, heart failure) are cautions or contraindications depending on severity. Follow medical clearance, keep sessions gentle and short, avoid cold/rapid temperature changes and heavy pressure over the chest.

MBLEx tip: *Recent cardiac event = physician clearance first, gentle sessions, no strenuous positions (avoid prolonged face-down).*

Example: A client who had bypass surgery three months ago brings clearance; you schedule a gentle side-lying session.

17 Respiratory Conditions

Key facts: Asthma and COPD are cautions: position the client comfortably (some cannot lie face-down), keep the room allergen-free, avoid strong oils/steam triggers, and use moderate pressure. Trigger-point work on breathing muscles can help, but never over-exert the client.

MBLEx tip: *Positioning is the issue: ask where the client breathes easiest and watch for distress.*

Example: An asthmatic client prefers a slightly upright semi-reclined position; you oblige and keep scent-free.

18 Multiple Sclerosis & Chronic Fatigue

Key facts: MS (a nervous-system autoimmune) and chronic fatigue are cautions: clients are sensitive to heat and fatigue easily. Keep sessions short, gentle, and temperature-stable; avoid hot stones and intense stimulation; schedule at the client's strongest time of day.

MBLEx tip: *MS/fatigue = cool, short, gentle - heat and prolonged sessions can exhaust these clients.*

Example: A chronic-fatigue client books a 45-minute light session mid-morning, her best window.

19 Fibromyalgia & Chronic Pain

Key facts: Fibromyalgia is a chronic widespread pain condition with tender points and fatigue. Massage can help, but pressure tolerance varies: begin light, communicate constantly, let the client set the pressure, and never push through pain.

MBLEx tip: *Chronic-pain clients set the pressure - 'your comfort is the guide' is the rule.*

Example: A fibromyalgia client asks for feather-light pressure today because she is having a flare; you honor it.

20 Recent Surgery & Scars

Key facts: Recent surgery is a local contraindication until the wound heals and the physician clears massage; then scars and adhesions can be gently worked. Deep work on a fresh incision is contraindicated.

MBLEx tip: *Fresh incision = avoid and wait for clearance; healed scar = gentle cross-fiber work is appropriate.*

Example: A client had abdominal surgery six weeks ago with clearance; you work gently across the healed scar edges, avoiding deep compression.

21 Heat & Cold Intolerance

Key facts: Clients who cannot sense or regulate temperature normally (diabetics with neuropathy, some MS and spinal-cord-injury clients, the elderly) should not receive hot stones or very cold applications - they may not notice injury from excessive heat or cold.

MBLEx tip: *If sensation is impaired, skip temperature extremes - your safest default is body-temperature hands.*

Example: A diabetic client's feet cannot feel heat well, so hot stones on the feet are out.

22 Burns, Radiation & Skin Damage

Key facts: Recent burns, radiation-treated skin, and fragile/sun-damaged skin are local contraindications - avoid the affected tissue completely and use gentle techniques elsewhere.

MBLEx tip: *Treat the skin like tissue, not like surface: radiation sites and burns are off-limits.*

Example: A client's neck and jaw show radiation marks from treatment; you avoid that region entirely.

23 Special Population: Older Adults

Key facts:	Older clients often have fragile skin, osteoporosis, arthritis, polypharmacy, and slower healing. Use lighter pressure, watch for skin tears, position carefully, allow extra time for transitions, and keep the room comfortably warm.
MBLEx tip:	<i>Fragile skin + thin tissue = light pressure and careful positioning; transitions are part of the session.</i>
Example:	An 85-year-old client needs extra help sitting up slowly after the session - build that into your time.

24 Special Population: Children & Adolescents

Key facts:	Minors require parental or guardian consent, the guardian usually present, and age-appropriate lighter technique and communication. Work with the family's pediatrician comfort level and use clear, non-scary language.
MBLEx tip:	<i>Parental consent + guardian present + light technique = the frame for working with minors.</i>
Example:	A 10-year-old's first massage session has the mother in the room and the child choosing the pressure.

25 Special Population: Athletes

Key facts:	Athletes commonly seek sports massage for pre-event (light, warm-up oriented, stimulation), inter-event (short, recovery), post-event (flushing, light-to-moderate), and maintenance (deeper, structural) work.
MBLEx tip:	<i>Pre-event = light and stimulating; post-event = flushing and soothing - heavy deep work right before competition hurts performance.</i>
Example:	A marathoner gets light leg work the morning of the race and deeper work two days after.

26 When to Refer Out

Key facts:	Refer to a physician or other qualified professional when you see a new, unexplained, or worsening sign: unexplained pain, swelling, fever, numbness, dizziness, unexplained weight loss, or any sign that falls outside your scope. Document the referral.
MBLEx tip:	<i>New unexplained symptoms = stop the session and refer - your scope is massage, not diagnosis.</i>
Example:	A client mentions a new, unexplained lump during intake; you do not treat over it and recommend a physician visit.

PART 5: BENEFITS & EFFECTS OF SOFT TISSUE MANIPULATION (15% OF EXAM)

Mechanisms matter on the MBLEx: know HOW massage affects circulation, lymph, nerves, muscle, connective tissue, hormones, pain, and stress - and which techniques produce which effects.

1 Circulatory Effects

Key facts:	Massage increases local blood flow through mechanical pressure and vasodilation: the pressure on vessels helps move blood (especially venous and lymphatic return), and the relaxation response widens vessels. Improved circulation delivers oxygen and nutrients and removes metabolic waste.
MBLEx tip:	<i>Pressure squeezes veins and lymph toward the heart; relaxation widens vessels - both increase flow.</i>
Example:	Effleurage toward the heart on the legs helps move venous blood back toward the trunk.

2 Lymphatic Effects

Key facts:	Lymph has no pump; it moves with muscle contraction, breathing, and external pressure. Gentle, directed massage (MLD) encourages lymph flow toward regional nodes, reducing edema and supporting immune transport.
MBLEx tip:	<i>Lymph = gentle + directional + toward nodes; deep pressure does NOT drain lymph - it compresses it.</i>
Example:	Light hand-over-hand strokes up the arm toward the axillary nodes help shift lymph.

3 Nervous System Balance

Key facts:	Slow, rhythmic, moderate-pressure massage shifts the autonomic nervous system toward the parasympathetic (rest-and-digest) state: heart rate and blood pressure fall, breathing slows, and digestion resumes - the 'relaxation response'.
MBLEx tip:	<i>Parasympathetic = slow heart, low blood pressure, relaxed - the mechanism behind 'massage reduces stress.'</i>
Example:	After a session, a client's heart rate drops from 74 to 62 at rest - a parasympathetic effect.

4 Muscular Effects

Key facts:	Massage can reduce muscle spasm and hypertonicity, improve flexibility and ROM, and ease trigger-point activity. It does NOT 'break up' normal muscle tissue; its effects come from reflex, blood-flow, and connective-tissue changes that allow the muscle to relax.
MBLEx tip:	<i>Present muscle effects as relaxation of hypertonicity and improved ROM - not mechanical 'breaking up' of tissue.</i>
Example:	Static compression on a shoulder trigger point releases the taut band and the client gains shrugging range.

5 Connective Tissue & Fascia

Key facts:	Fascia and scar tissue remodel in response to sustained, low-load tension (creep and mechanotransduction). Myofascial release applies slow, sustained stretch that allows restricted fascia to lengthen, improving mobility and reducing tension.
MBLEx tip:	<i>Fascia responds to time under gentle tension - slow, sustained, not fast, deep.</i>
Example:	Holding a cross-hand stretch at the calf's fascia for 90 seconds slowly lets the tissue lengthen.

6 Pain Science: Gate Control

Key facts:	The gate control theory states that non-painful input (touch, pressure) can 'close the gate' in the spinal cord to pain signals by activating large-diameter nerve fibers that out-compete pain fibers. Massage's touch input is a classic gate-closing stimulus.
MBLEx tip:	<i>Touch closes the pain gate - that is why rubbing a bumped shin eases the sting.</i>
Example:	Rubbing briskly around a sore muscle reduces the sharp sensation - large-fiber input wins.

7 Pain Science: Endorphins & Opioid System

Key facts:	Massage and other pleasant stimuli can raise endorphins and enkephalins (the body's natural opioid peptides) and reduce pain perception. Reduced pain plus relaxation lowers the stress response, creating a virtuous cycle.
MBLEx tip:	<i>Endorphins = natural pain relief - the chemistry behind massage reducing pain without drugs.</i>
Example:	A client with chronic neck pain reports feeling 'lighter' after a session - endogenous opioids at work.

8 Stress Hormone Effects

Key facts:	Massage reduces markers of the stress response: cortisol (the primary stress hormone) tends to fall, while serotonin and dopamine - the mood and reward neurotransmitters - tend to rise.
MBEx tip:	<i>Cortisol down, serotonin and dopamine up - the classic hormone trio the MBEx tests with massage.</i>
Example:	Morning cortisol is elevated in a stressed client; after a relaxation session it measurably lowers.

9 Immune Effects

Key facts:	By improving lymph flow and supporting the relaxation response, massage can support immune function: studies show increases in lymphocytes and natural-killer-cell activity after massage, though it is not a 'cure' for illness.
MBEx tip:	<i>Lymph + NK cells = the immune link; massage is supportive, never a replacement for medical care.</i>
Example:	A client recovering from a mild cold reports better sleep and energy after light lymph work - small immune support.

10 Sedation & Sleep Effects

Key facts:	Massage lowers arousal: it reduces stress hormones, raises parasympathetic tone, and promotes the relaxed state that supports sleep. Evening sessions can improve sleep quality for stressed or anxious clients.
MBEx tip:	<i>Evening = relaxation and sleep support; vigorous stimulation is better in the morning.</i>
Example:	A shift-worker client books evening sessions to unwind and reports falling asleep faster.

11 Psychological & Emotional Effects

Key facts:	Massage provides a safe, caring touch environment that reduces anxiety, improves mood, and supports relaxation. For some clients it surfaces emotions (a normal release); the therapist stays professional, allows it, and does not counsel beyond scope.
MBEx tip:	<i>Emotional release happens - stay calm, professional, and refer to counseling when needed (it is outside the massage scope).</i>
Example:	A client tears up during a shoulder release; you pause, stay present, and later note the reaction neutrally.

12 Effleurage

Key facts:	Effleurage is a broad, gliding stroke (usually toward the heart) that spreads lubricant, warms tissue, and initiates relaxation. It is the most common opening and closing stroke.
MBEx tip:	<i>Effleurage = broad glide toward the heart - the warm-up and cool-down stroke.</i>
Example:	You open a back session with long, slow effleurage strokes from the sacrum to the shoulders.

13 Petrissage

Key facts:	Petrissage includes kneading, rolling, and wringing movements that lift, squeeze, and compress muscle tissue - deeper than effleurage. It improves circulation in the muscle, loosens adhesions, and relieves muscle tension.
MBEx tip:	<i>Petrissage = knead/roll/wring - 'massaging the muscle itself' vs the glide of effleurage.</i>
Example:	Kneading the erector spinae muscles with your palms is petrissage.

14 Friction

Key facts:	Friction is a focused, small-area, back-and-forth or circular pressure applied across or along tissue (often cross-fiber) to warm tissue, mobilize adhesions, and address trigger points and scar tissue.
MBEx tip:	<i>Friction = small area, deep, cross-fiber where useful - not a broad glide.</i>
Example:	Cross-fiber friction over a gluteal adhesion warms and releases the band.

15 Tapotement

Key facts:	Tapotement includes rhythmic percussive strokes - hacking, cupping, tapping, pummeling - applied with relaxed wrists. It is stimulating rather than relaxing, so it is used in sports/energizing work, not at the end of a relaxation session.
MBEx tip:	<i>Tapotement = percussion = stimulating - never use it to end a relaxation treatment.</i>
Example:	A sports client receives brisk cupping over the quadriceps between events for activation.

16 Vibration & Rocking

Key facts:	Vibration is a fine, rapid shaking of tissue (hands or mechanical device); rocking is a rhythmic, whole-limb or whole-body oscillation. Both reduce tension and can be deeply soothing or mildly stimulating depending on rate.
MBLEx tip:	<i>Rocking and vibration = rhythmic oscillation = calming for nervous-system hyperarousal.</i>
Example:	Gentle rocking of the pelvis at the end of a session settles a tense client.

17 Trigger Point Therapy

Key facts:	Trigger point therapy applies sustained (ischemic) compression to a trigger point, usually 30-60 seconds with increasing pressure, sometimes with client feedback, then releases and stretches. It treats myofascial pain and referred patterns.
MBLEx tip:	<i>Sustained compression + client feedback + stretch afterward = the trigger-point sequence.</i>
Example:	You hold thumb pressure on a trapezius knot for 45 seconds, the client reports the referral fading, then you stretch the neck.

18 Myofascial Release

Key facts:	Myofascial release (MFR) applies sustained, low-load tension through the skin to the fascia, letting it elongate ('melting' sensation). It addresses fascial restriction, posture, and movement quality.
MBLEx tip:	<i>MFR = slow and sustained - the hold, not the force, does the work.</i>
Example:	You slide under the superficial back line at the heel and hold tension while the client breathes.

19 Deep Tissue Massage

Key facts:	Deep tissue massage uses slow, firm strokes and specific pressure (often with forearm or elbow) to reach deeper musculature and address chronic tension and myofascial restrictions. It is not 'massage as hard as possible' - it is precise, slow, working within tolerance.
MBLEx tip:	<i>Deep tissue = slow + specific + within tolerance; pain beyond mild discomfort is a stop signal.</i>
Example:	Using the heel of your hand, you slowly release the deeper quadratus lumborum in a chronic low-back client.

20 Sports Massage

Key facts:	Sports massage applies technique to athletic needs: pre-event (light, stimulating), inter-event (brief recovery), post-event (flushing, soothing), and maintenance (deeper, structural work). It addresses the muscles the sport loads most.
MBLEx tip:	<i>Match the technique to the timing: stimulate before, soothe after, rebuild between events.</i>
Example:	A tennis player's maintenance sessions focus on the dominant shoulder, forearm, and legs.

21 Manual Lymphatic Drainage (MLD)

Key facts:	MLD is a very light (about 8-10 mmHg, the pressure of the skin's own tension), slow, stretching-and-releasing rhythm that moves lymph toward drainage areas. It is performed by therapists trained in the technique and is specific, not a fancy name for light massage.
MBLEx tip:	<i>MLD = feather-light + directional + trained technique - deep pressure is an absolute error.</i>
Example:	Trained in MLD, you work the neck's lymph territories with light, slow pumping strokes over 20 minutes.

22 Reflexology & Acupressure

Key facts:	Reflexology applies pressure to reflex zones of the feet, hands, and ears believed to correspond to body areas. Acupressure applies pressure to acupoints along traditional Chinese medicine meridians. Both are modality choices within a therapist's training and scope.
MBLEx tip:	<i>These are named modality approaches - know what they are, and stay within your training and scope.</i>
Example:	A reflexology session maps the foot to the spine and works the arch reflex zone for low-back symptoms.

23 Hot Stone & Thermal Modalities

Key facts:	Hot stone massage places warmed stones on or glides them over the body to relax muscle and warm tissue; cold applications can reduce acute inflammation. Thermal modalities require caution: impaired sensation, diabetes, hypertension, pregnancy, and the very young/old need modification or avoidance.
MBLEx tip:	<i>Heat relaxes, cold reduces acute inflammation - and temperature extremes are contraindicated when sensation is impaired.</i>
Example:	Warmed stones over the paraspinals relax a cold, tense back; you avoid stones on a diabetic client's feet.

24 Stretching Within the Session

- Key facts:** Therapeutic stretching during a session can be passive (you move the client), active (the client moves), and PNF (contract-relax). It complements soft-tissue work by restoring length and ROM, applied within the client's tolerance.
- MBLEx tip:** *Passive = you move them; active = they move; PNF = contract-relax cycles - all done within comfort.*
- Example:** You add a passive hamstring stretch at the end of a leg session, holding 30 seconds without forcing.
-

25 Duration, Frequency & Dose

- Key facts:** Treatment response depends on dose: typical sessions are 30-60 minutes; frequency ranges from weekly to monthly depending on condition and goals (acute issues often need more frequent, shorter visits; maintenance is less frequent). Progress notes track response to adjust the dose.
- MBLEx tip:** *More frequent + shorter for acute; less frequent for maintenance - the dose is part of the treatment plan.*
- Example:** A postural-headache client starts at two 45-minute sessions per week, then tapers to monthly.
-

26 Realistic Claims & Scope

- Key facts:** Massage benefits are physiological and psychological - relaxation, circulation, lymph support, pain reduction, stress reduction - but therapists must not claim to 'cure' disease, diagnose illness, or replace medical treatment. Truthful claims protect clients and your license.
- MBLEx tip:** *Present benefits honestly - never claim a cure or a diagnosis; that is out of scope and legally dangerous.*
- Example:** You tell a client massage can help her stress-related tension but not 'cure' her hypertension - that stays with her physician.
-

PART 6: CLIENT ASSESSMENT, REASSESSMENT & TREATMENT PLANNING (17% OF EXAM)

The largest domain. Intake, health history, informed consent, postural/ROM/palpation assessment, SOAP notes, treatment plans, reassessment, and referral - the full professional loop around every session.

1 The Intake Interview

- Key facts:** Every first session begins with an intake interview: reason for visit, health history, medications, allergies, physician care, lifestyle, and expectations. The interview builds rapport and begins the assessment; it is also your first contraindication screen.
- MBLEx tip:** A complete intake is the first patient-safety step - a red flag found here prevents a bad session.
- Example:** At intake, a client mentions a new heart condition and medication - you adjust or refer before anything else.

2 Health History Form

- Key facts:** The health history form collects medical conditions, surgeries, medications, current symptoms, and lifestyle. It must be reviewed and updated at each revisit (interim changes matter). The form is part of the client record.
- MBLEx tip:** Update the health history at EVERY session - not just the first - because conditions change.
- Example:** At a return visit, a client checks 'new medication since last visit'; you ask what changed and adjust.

3 Informed Consent

- Key facts:** Informed consent means the client understands what will happen in the session - the techniques, areas worked, pressure, draping, and their right to stop - and agrees to it. Consent is documented before treatment and can be revoked at any time.
- MBLEx tip:** Consent = explain + agree + documented + revocable at any time during the session.
- Example:** Before the first session you describe the draping and pressure, answer questions, and have the client sign the consent form.

4 SOAP Notes

- Key facts:** SOAP is the standard charting format: Subjective (what the client reports), Objective (what you observe and measure), Assessment (your professional interpretation), Plan (the treatment and next steps). SOAP notes are part of the legal record.
- MBLEx tip:** SOAP = Subjective, Objective, Assessment, Plan - each note goes into one of the four slots.
- Example:** S: 'pain in right shoulder when lifting.' O: 'R shoulder flexion 100 deg vs L 140.' A: 'myofascial restriction likely.' P: 'trigger point work, home stretch.'

5 Subjective vs Objective Data

- Key facts:** Subjective data is what the client tells you (pain level, history, feelings); objective data is what you can observe and measure (posture, ROM, palpation findings, gait). Both belong in the record, properly labeled.
- MBLEx tip:** Label each finding S or O - mixing them confuses the record and weakens your documentation.
- Example:** 'Pain 6/10' is subjective; 'palpable taut band in the right upper trapezius' is objective.

6 Postural Assessment

- Key facts:** Postural assessment observes the client in standing (front, back, side) and seated: head on neck, shoulder height and symmetry, scapular position, spinal curves, pelvic level, knee and foot position. It is recorded objectively with the client's informed consent to be observed.
- MBLEx tip:** Posture = a picture worth a thousand words - record asymmetry with numbers ('R shoulder 1.5 cm higher').
- Example:** From the front, the client's right ASIS sits 1 cm higher than the left - a pelvic tilt to record.

7 Range-of-Motion Assessment

- Key facts:** ROM assessment measures active and passive joint motion in degrees, guided by pain, restriction, and end-feel. It includes specific tests per region (shoulder, hip, spine) and is compared side to side.
- MBLEx tip:** Test active first, then passive, and compare sides - the difference guides your treatment.
- Example:** Active shoulder flexion is 120 degrees bilaterally but passive reaches 150 - the limit is the client's strength/tolerance, not the joint.

8 Palpation Assessment

Key facts:	Palpation is examining tissue by touch: assessing temperature (warm/cool), texture (firm/soft/boggy), tone (hyper/hypo), tenderness, and the presence of taut bands, trigger points, or swelling - always comparing to the opposite side.
MBEx tip:	<i>Palpate to compare symmetrically - the unaffected side is your baseline.</i>
Example:	The client's left erector spinae feels firmer, cooler, and has a taut band; the right does not.

9 Special Tests & Screening

Key facts:	Orthopedic special tests (e.g., shoulder impingement tests, straight-leg raise, carpal tunnel tests like Phalen's/Tinel's) screen for specific conditions. You may perform them within your training and scope, but a positive or unfamiliar finding means referral for diagnosis.
MBEx tip:	<i>Special tests are screening tools - a positive screen = refer for diagnosis, never a diagnosis by you.</i>
Example:	A Phalen's test reproduces the client's thumb numbness - you note it and recommend a physician evaluation.

10 Pain Assessment

Key facts:	Pain is assessed subjectively (location, quality, intensity - often a 0-10 scale, onset, duration, aggravating/easing factors) and objectively (what you can observe). Pain guides treatment intensity - pressure stays within the client's tolerance.
MBEx tip:	<i>Use a pain scale and document location, quality, and aggravators - 'pain 3/10, dull ache, worse at night.'</i>
Example:	At intake the client rates low-back pain 8/10 today; you plan a gentler first session.

11 Pain Patterns & Referred Pain

Key facts:	Pain can be local (at the source), referred (felt away from the source - e.g., trigger-point referral patterns, sciatic radiation), or radiating (along a nerve path). Recognizing patterns helps you treat the source, not the symptom.
MBEx tip:	<i>Referred pain is the trap: the symptom is often NOT at the originating tissue.</i>
Example:	A trapezius trigger point refers pain up the side of the head - treating the head alone misses the source.

12 Gait & Functional Assessment

Key facts:	Functional assessment watches the client move: gait, sit-to-stand, reaching, bending. It reveals how the body compensates in real activity and gives objective baseline measures for progress.
MBEx tip:	<i>Test the movement the client actually struggles with - that is the functional baseline.</i>
Example:	A client who can't bend to tie shoes at intake re-tests the same movement at session 4 to show progress.

13 Treatment Plan Development

Key facts:	The treatment plan states the goals (client-centered, specific, measurable), the techniques to use, session frequency and duration, home-care suggestions, and the criteria for progressing or discharging. It is formed with the client and documented.
MBEx tip:	<i>Goals must be measurable - 'improve flexion by 20 degrees' beats 'feel better.'</i>
Example:	Plan: 6 sessions, 2x weekly; goals: pain 8/10 to 4/10, forward reach +15 cm; reassess at session 3.

14 SMART Goals

Key facts:	SMART goals are Specific, Measurable, Attainable, Relevant, and Time-bound. Writing client goals in SMART form makes outcomes objective and defensible.
MBEx tip:	<i>Run each goal through the 5 letters before writing it into the plan.</i>
Example:	'Reduce morning low-back pain from 6/10 to 3/10 within 4 weeks' is a SMART goal.

15 Reassessment During the Session

Key facts:	Reassessment is continuous: check tissue response, pain response, and breathing during the work, and re-test key measures (ROM, palpation findings) at the end of the session to capture immediate change.
MBEx tip:	<i>Re-test after the work - the before/after numbers show the session's effect.</i>
Example:	You measured shoulder flexion at 120 before and again after trigger-point work: 135 now - record both.

16 Reassessment Across Sessions

Key facts:	Progress is tracked by repeating objective measures across sessions (ROM, pain scale, posture photos, function tests) and updating the plan when goals are met, plateau, or the client's status changes.
MBLEx tip:	<i>Objectively trend the same measures every visit - the trend, not the single reading, is progress.</i>
Example:	Session 6 repeats the intake pain scale and ROM table; the client is at 3/10 with flexion 140 - goals met, move to maintenance.

17 Referral & Collaboration

Key facts:	Referring means sending the client to the appropriate professional (physician, physical therapist, counselor) when findings are outside your scope, worsening, or unresponsive. Collaboration means coordinating care with the client's care team when you both serve the client.
MBLEx tip:	<i>Refer when: red flags, unexplained findings, no response to treatment, or out-of-scope conditions - and document it.</i>
Example:	After two sessions a client's radicular symptoms are worse; you refer her to her physician and pause treatment.

18 Confidentiality & Records

Key facts:	Client records (intake, notes, consent) are confidential and protected. Records are kept secure, released only with written authorization, and retained per state law. Discussing a client's case with anyone outside the care team without consent is a violation.
MBLEx tip:	<i>HIPAA/confidentiality = written authorization before any release - even a spouse gets nothing without it.</i>
Example:	A client's husband calls asking about her session; you explain you cannot discuss her care without her written consent.

19 Scope of Practice in Assessment

Key facts:	Your assessment is a massage-therapy assessment - soft tissue, posture, movement, and function - NOT a medical diagnosis. Making a diagnosis, prescribing, or treating 'beyond your scope' is illegal and unethical; stay in the assessment lane and refer for diagnosis.
MBLEx tip:	<i>You may assess and treat soft tissue; you may NOT diagnose - the line is the law.</i>
Example:	You can note 'taut band consistent with a trigger point' but not tell the client 'you have fibromyalgia.'

20 Client Communication Skills

Key facts:	Effective communication includes open-ended questions, active listening, reflecting, and checking understanding. Communicate the plan, pressure, and draping in plain language, and invite the client to direct their comfort.
MBLEx tip:	<i>Talk in plain language and confirm understanding - 'does that make sense?' is part of consent.</i>
Example:	'You'll feel firm pressure here - tell me if it's ever too much' opens the feedback loop.

21 Verbal vs Nonverbal Cues

Key facts:	Watch nonverbal cues (facial tension, breathing, guarding, flinching, clenching) alongside what the client says. Nonverbal signals often reveal discomfort the client does not put into words.
MBLEx tip:	<i>Tension in the jaw or a held breath = the body's 'too much' message even if words say fine.</i>
Example:	A client says the pressure is fine but is gripping the table - you lighten the pressure and check in.

22 Special Populations in Assessment

Key facts:	Assessment adapts per population: children (guardian interview + consent), older adults (mobility, fragility, medications), pregnant clients (positioning and time limits), athletes (sport-specific functional tests), and medically complex clients (physician coordination, medication review).
MBLEx tip:	<i>The assessment framework is the same - adapt the process, questions, and positioning to the client.</i>
Example:	For a pregnant client you assess seated and side-lying, and you skip supine-based tests after the first trimester.

23 Documentation Standards

Key facts:	Good documentation is timely (same-day), factual, objective, and complete; it includes the date, session details, findings, treatment, response, and plan. It is your legal record and your continuity of care for the next session.
MBLEx tip:	<i>Document the same day, state facts not opinions ('client reported' vs 'client was'), and sign it.</i>
Example:	You write the SOAP note immediately after the session, including the post-treatment ROM re-test.

24 Charting Errors & Corrections

- Key facts:** Charting errors are corrected with a single line through the error, the correction written, the date and initials - never erased, whited out, or written over, which looks like alteration.
- MBLEx tip:** *Line-out correction rule: one line, date, initial - the record must be trustworthy.*
- Example:** You mistype a pressure note; you line it out, write the correction, and initial it with the date.
-

25 Progress Notes & Discharge

- Key facts:** Progress notes track each visit's findings and response; discharge planning (when goals are met or care ends) summarizes outcomes and home-care recommendations and closes the treatment episode.
- MBLEx tip:** *End the episode deliberately: summarize outcomes, give home care, and document the discharge.*
- Example:** At the final session you document 'goals met - pain 2/10, ROM restored; home stretch program provided.'
-

26 Record Retention

- Key facts:** State law sets how long client records must be kept (commonly 3-7+ years after the last treatment, and longer for minors). Records are retained securely and destroyed only per law.
- MBLEx tip:** *Know your state's retention period - it is longer than you might expect and includes minors' records.*
- Example:** Your state requires 7 years; you keep the closed file securely for that full term.
-

27 Measuring Treatment Outcomes

- Key facts:** Outcomes are measured with repeatable tools: pain scales, ROM goniometry, functional tests, posture measurements, and client-reported goals. Outcome measurement shows effectiveness, supports your plan, and fulfills documentation duties.
- MBLEx tip:** *Pick 2-3 repeatable measures per client and trend them every session.*
- Example:** Trending the client's 0-10 pain and reach distance across six visits tells you the treatment is working.
-

28 Telehealth & Digital Consent

- Key facts:** Some jurisdictions allow telehealth massage consultation (education, self-care guidance, assessment for suitability) but not hands-on treatment remotely. Digital consent and privacy (secure video, no recording) follow the same rules as in-person consent.
- MBLEx tip:** *Remote = education and screening possible; hands-on treatment requires in-person - know your state's rules.*
- Example:** You hold a telehealth intake and teach a home-care stretch, then schedule the in-person session.
-

29 Safety During Assessment

- Key facts:** Assessment safety includes: screening before any technique, monitoring client response (skin, breathing, comfort), having a plan for adverse reactions (dizziness, nausea - stop, lower the head, offer water), and knowing emergency procedures.
- MBLEx tip:** *Dizziness or nausea in a session = stop, position the head low, reassure, and follow your emergency plan.*
- Example:** A client feels lightheaded getting off the table; you have her sit, lean forward, and rest before she stands.
-

PART 7: ETHICS, BOUNDARIES, LAWS & REGULATIONS (16% OF EXAM)

Professionalism is tested heavily: confidentiality, informed consent, draping, boundaries, sexual misconduct (zero tolerance), scope of practice, and state law. Wrong answers here fail exams and cost licenses.

1 Code of Ethics

- Key facts:** FSMTB and state boards publish codes of ethics requiring therapists to act in the client's best interest, maintain confidentiality, practice within scope, avoid harm, be honest in advertising, and maintain professional boundaries.
- MBEx tip:** Code of ethics = client welfare first, confidentiality, scope, honesty, boundaries - the five pillars.
- Example:** You decline to treat a friend's injury 'because you are licensed' - actually because it is in your scope and safe; the ethics angle is you also decline to practice when impaired or unsafe.

2 Scope of Practice

- Key facts:** Scope of practice is the defined set of services a licensed massage therapist may legally provide - massage and bodywork techniques, assessment within licensing, and client education. Anything else (diagnosis, prescription, adjustments, physical-therapy-type rehabilitation) is out of scope.
- MBEx tip:** Know your state's legal scope definition - it is the boundary between lawful massage and illegal practice.
- Example:** A client asks you to 'crack' their spine - that is out of scope for most massage licenses; you decline and refer.

3 Confidentiality & Privacy

- Key facts:** All client information - reasons for visit, health history, session notes, conversations, even the fact of their visits - is confidential. It is shared only within the care framework or with the client's written authorization.
- MBEx tip:** Confidentiality covers EVERYTHING about the client - including the fact they are your client.
- Example:** You run into a client at the store; you do not greet them by name in public unless they speak first.

4 HIPAA & PHI Basics

- Key facts:** HIPAA protects protected health information (PHI): any information linking a person to their health care. Massage therapists who bill health insurance or work in covered settings must follow HIPAA; even outside HIPAA, the ethical duty of confidentiality applies.
- MBEx tip:** PHI = any info that identifies a person + their care; treat it as confidential always.
- Example:** You send a client's discharge summary to an insurance company only with their signed authorization.

5 Informed Consent Details

- Key facts:** Informed consent includes: the nature and purpose of the session, techniques and areas to be treated, expected benefits and risks, the draping procedure, the client's right to decline or stop, and the option to ask questions - all before treatment and updated when the plan changes.
- MBEx tip:** Consent must be current and specific - a new technique or area needs a renewed explanation.
- Example:** You plan to add hot stones to a session; you explain the change and get the client's okay first.

6 Draping

- Key facts:** Draping keeps the client professionally and comfortably covered, exposing only the area being treated, and protects both client and therapist. Undraping must be a clear, consent-supported process - the client participates (they remove their own clothing; you uncover only the working area).
- MBEx tip:** RULES: client undresses themselves; you uncover only the area you are working; re-cover as you go.
- Example:** To work the right gluteal region, you release the drape on that side only, work, then re-drape before moving on.

7 Sexual Misconduct: Zero Tolerance

Key facts:	Sexual contact, sexual comments, or any sexualized conduct with a client is absolutely prohibited - it is grounds for license revocation, is a crime in many states, and is never acceptable even if the client initiates or requests it.
MBLEx tip:	<i>Zero tolerance means zero - even a client 'requesting' sexual contact is terminated and reported appropriately, never accommodated.</i>
Example:	A client propositions you during a session; you stop the session professionally, discharge them, and document the incident.

8 Professional Boundaries

Key facts:	Boundaries are the limits that keep the relationship professional: no dating or sexual involvement with clients, no personal therapy relationships, limited self-disclosure, and no exploitation of the therapeutic trust.
MBLEx tip:	<i>The therapy relationship is professional, not personal - dating a current client is a boundary violation in every code.</i>
Example:	You keep the conversation client-focused and decline a dinner invitation from a client you have been treating.

9 Dual & Multiple Relationships

Key facts:	A dual relationship exists when you have another role with a client (friend, employer, family member, business partner). They are not automatically prohibited but must be managed to protect the client and avoid exploitation; sexual dual relationships are always prohibited.
MBLEx tip:	<i>Dual relationships must be evaluated to protect the client - sexual ones are never acceptable.</i>
Example:	Your neighbor becomes your client; you treat them with the same professional process and bounds, and you refer them if the dual role clouds judgment.

10 Transference & Countertransference

Key facts:	Transference is the client projecting feelings onto you (e.g., affection, anger from past relationships); countertransference is your unresolved feelings toward the client. Both are normal but must be recognized and managed - through supervision, self-awareness, and referral when needed.
MBLEx tip:	<i>Recognize the projection and keep the session professional - do not personalize it.</i>
Example:	A client treats you with persistent anger that seems unrelated to the session; you stay neutral, professional, and discuss it in supervision.

11 Sexual Harassment Policy

Key facts:	Sexual harassment (unwelcome sexual advances, requests, or conduct) is prohibited in the workplace toward clients, colleagues, and staff. Therapists have a duty to maintain a professional environment and to report harassment.
MBLEx tip:	<i>Harassment applies to clients AND colleagues - a professional environment is everyone's duty.</i>
Example:	A colleague makes repeated unwelcome comments to staff; you report it through the proper channel.

12 State Law & Regulation

Key facts:	Each state's massage board sets licensure requirements: minimum education hours (often 500-1,000), exam passage (MBLEx or accepted exam), background check, continuing education, and scope of practice. Practicing without a license where one is required is illegal.
MBLEx tip:	<i>State law varies - your license, CE, and scope are set by YOUR state, not by FSMTB.</i>
Example:	Your state requires 24 CE hours every two years and a background check; you track both to renew.

13 FSMTB's Role vs State Boards

Key facts:	FSMTB administers the MBLEx and national initiatives (like the MBLEx itself); state boards license individual therapists and enforce practice laws. FSMTB does not license you - your state board does.
MBLEx tip:	<i>The exam is national (FSMTB); the license is state (your board) - do not confuse the two.</i>
Example:	FSMTB gives you your exam scores; your state board issues your actual license.

14 Licensure vs Certification

Key facts:	Licensure is a legal grant by a state to practice; certification is a credential from a professional organization confirming competence. Some jurisdictions regulate one or the other; both signal professional qualification.
MBLEx tip:	<i>License = state legal permission; certification = professional credential - know which your state uses.</i>
Example:	A therapist holds FSMTB-sponsored national certification AND a state license; the license is what permits practice.

15 Continuing Education (CE)

Key facts:	Continuing education requires documented training (often in ethics, sanitation, and core subjects) on a renewal cycle to maintain competence and licensure. Some states require ethics CE specifically.
MBLEx tip:	<i>CE = state-required documented learning; ethics CE is commonly a required segment.</i>
Example:	You take a 6-hour ethics course this cycle because your state requires it for renewal.

16 Advertising & Marketing Truthfulness

Key facts:	Ads and marketing must be truthful: accurate titles and credentials, no unverifiable claims ('cures back pain'), honest pricing, and no misleading before/after guarantees. False advertising is both unethical and a board violation.
MBLEx tip:	<i>Claim only what you can prove - 'may help relieve tension,' not 'cures.'</i>
Example:	Your flyer says 'licensed massage therapist, 500-hour training' - both true and verifiable.

17 Fee Disclosure & Billing Ethics

Key facts:	Fees, cancellation policies, gift certificates, and refund policies must be disclosed clearly before service. Billing is honest: charges match the services provided, and insurance billing follows the rules (no upcoding, no claims for unperformed services).
MBLEx tip:	<i>Transparent pricing = disclose before the session; billing honesty applies to every claim.</i>
Example:	A client asks about insurance; you explain your cash fee structure and that you do not bill insurers unless credentialed.

18 Refusing Service

Key facts:	Therapists may decline to treat a client for legitimate professional reasons (contraindicated condition, boundary risk, unsafe situation) - but not for discriminatory reasons (race, religion, disability, etc.). Refusals should be professional and documented.
MBLEx tip:	<i>You can refuse for professional/safety reasons; you cannot discriminate - know the difference.</i>
Example:	You decline a session for a client with an active contagious rash; you offer to reschedule after resolution.

19 Mandatory Reporting

Key facts:	Therapists are mandatory reporters in most states for suspected child abuse, elder abuse, and dependent-adult abuse - you must report suspicion to the authorities. Failure to report is itself a violation.
MBLEx tip:	<i>Suspected abuse of a vulnerable person = report, even against the client's wishes - the law requires it.</i>
Example:	You notice suspicious bruising and a frightened child-client; you document and make the required report.

20 Working with Minors

Key facts:	Treating a minor requires parental/guardian consent for every session, with the guardian usually present, and age-appropriate communication and technique. Sexual contact with a minor is an absolute, criminal violation.
MBLEx tip:	<i>Parental consent + guardian present + age-appropriate care = the standard for minor clients.</i>
Example:	A 14-year-old comes with a parent; the parent gives written consent and remains in the room.

21 Professional Attire & Demeanor

Key facts:	Professional appearance - clean, modest attire; clean hands and short nails; a calm, focused demeanor; no perfume overload - supports a safe, professional environment and client confidence.
MBLEx tip:	<i>Clean hands and short nails are both hygiene and professionalism - you are in close contact.</i>
Example:	You keep nails short and hands clean and wash them immediately before each session.

22 Self-Care & Professional Boundaries for the Therapist

Key facts:	Therapists must care for their own health - body mechanics, hydration, rest, emotional load - so they do not practice impaired or injure themselves. Practicing while impaired (ill, exhausted, under substances) is unethical and unsafe.
MBLEx tip:	<i>Practice only fit to practice - exhaustion and illness impair judgment and hands.</i>
Example:	You are sick with a fever today; you reschedule sessions rather than work impaired.

23 Client Records Request & Release

Key facts:	Clients have a right to their records; release requires a written authorization or subpoena. You keep records accurate, secure, and released only through the proper process.
MBLEx tip:	<i>Release = written client authorization or legal compulsion - nothing less.</i>
Example:	A client requests their notes; you confirm identity and provide copies per your state's process.

24 Ethics vs Law

Key facts:	Ethics are the professional standards (codes of ethics); law is the enforceable regulation (statutes, rules). They mostly align, and when they conflict you follow the law while seeking ethical guidance - for example, mandatory reporting overrides confidentiality.
MBLEx tip:	<i>Mandatory reporting is the classic law-over-confidentiality case - law wins.</i>
Example:	Confidentiality says keep secrets; the law says report suspected elder abuse - you report.

25 Consultation & Second Opinions

Key facts:	When a case is complex or outside your confidence, ethical practice includes consulting colleagues, supervisors, or the client's providers - with the client's consent when identifiable information is shared.
MBLEx tip:	<i>Consult when unsure - with client consent for any identifying info - it is a sign of professionalism.</i>
Example:	A client's symptoms are ambiguous; you describe the case (de-identified) to a mentor and adjust the plan.

26 Insurance & Liability Basics

Key facts:	Professional liability (malpractice) insurance covers therapists against claims of injury or negligence; it is required by many employers and boards. Proper documentation and consent are your first defense in any claim.
MBLEx tip:	<i>Liability insurance = standard professional protection; document everything regardless.</i>
Example:	You carry active liability insurance and keep complete SOAP notes for every session.

27 Digital & Social Media Boundaries

Key facts:	A professional social-media presence is fine, but never post client information, photos of clients without signed permission, or content that violates confidentiality or makes clinical claims.
MBLEx tip:	<i>No client photos or identifiable case details online - ever - without explicit signed permission.</i>
Example:	You post a generic 'happy to serve our community' message - no client names or images.

PART 8: GUIDELINES FOR PROFESSIONAL PRACTICE (15% OF EXAM)

The business and safety side: sanitation, infection control, OSHA/bloodborne pathogens, body mechanics, emergency procedures, records, and the professional operation of a practice.

1 Hand Hygiene

- Key facts:** Hands are washed before and after every client session - and between different body areas when needed - with soap and water or an approved sanitizer. Clean hands and short nails are a non-negotiable infection-control practice.
- MBEx tip:** *Wash before AND after every client - it is the single most important hygiene habit.*
- Example:** You finish a session, wash your hands, change the linens, and wash again before the next client.

2 Linens & Laundering

- Key facts:** Linens touch every client and must be changed for every session: table cover, face cradle cover, and draped sheets are fresh per client. Soiled linens go to a covered hamper and are laundered on a hot cycle with detergent.
- MBEx tip:** *Fresh linens per client, every session - no exceptions, even for 'light' sessions.*
- Example:** The face-cradle cover is replaced between clients even during the same treatment room's back-to-back bookings.

3 Equipment & Table Sanitation

- Key facts:** The massage table surface, face cradle, and bolsters are wiped with an approved disinfectant between clients (EPA-registered for the claims used), following contact-time directions. Tools (stones, cups, lotion pumps) are cleaned or single-use as appropriate.
- MBEx tip:** *Wipe the table and cradle between every client with the correct contact time - not just a quick swipe.*
- Example:** You spray the table with your registered disinfectant, let it sit for the labeled contact time, then wipe.

4 Disinfection vs Sterilization

- Key facts:** Disinfection reduces pathogens on surfaces to a safe level (approved disinfectants, used correctly); sterilization destroys ALL microorganisms (autoclave - for instruments that penetrate skin, if you use them). Massage practice needs disinfection, not sterilization, for surfaces.
- MBEx tip:** *Disinfection = surfaces between clients; sterilization = total kill for invasive instruments (rare in massage).*
- Example:** Your hot-stone basin is disinfected between clients; no tools you use penetrate the skin, so sterilization is not required.

5 Universal Precautions & Bloodborne Pathogens

- Key facts:** Universal precautions treat ALL blood and body fluids as potentially infectious. If you encounter blood (a cut during a session), stop, glove, cover the wound, clean with appropriate disinfectant, and follow your exposure plan. Know your state's bloodborne-pathogen training requirements.
- MBEx tip:** *Treat every exposure as infectious - glove immediately, stop the bleeding source, clean with disinfectant.*
- Example:** A client's small cut begins to bleed during a session; you stop, glove, apply clean dressing, and disinfect the area and your hands.

6 Infection Control & Contagious Clients

- Key facts:** Infection control includes screening at intake (active illness, contagious conditions), hand/linen/equipment hygiene, and rescheduling clients who are acutely ill or contagious. You never treat an actively contagious client.
- MBEx tip:** *Screen for contagion at the door - a sick client is rescheduled, not treated.*
- Example:** A client arrives coughing with fever and green nasal discharge; you reschedule for after recovery.

7 OSHA in the Practice

- Key facts:** OSHA (Occupational Safety and Health Administration) regulations apply to employee safety: hazard communication (Hazard Communication Standard - labeling, Safety Data Sheets for chemicals like disinfectants), exposure control (bloodborne pathogens plan), and injury prevention.
- MBEx tip:** *OSHA = employee safety: SDS sheets, labels, and an exposure-control plan in the practice.*
- Example:** Your disinfectant has a Safety Data Sheet on file, properly labeled, and your team knows where it is.

8 Body Mechanics for the Therapist

- Key facts:** Protecting YOUR body: use your legs and whole body weight instead of gripping, keep a wide, stable stance, keep the spine aligned, adjust table height to your hips, and use forearms/elbows to spare thumbs. Table height should be comfortable with elbows slightly bent.
- MBEx tip:** *Table height = your elbows at about 90 degrees; move with your legs, not your back.*
- Example:** You lower the table slightly for deep tissue so your body weight, not thumb strength, applies pressure.

9 Therapist Self-Care

- Key facts:** Massage is physically and emotionally demanding: schedule recovery windows, hydrate, stretch, exercise, and seek supervision or counseling as needed. Burnout and injury end careers - prevention is a professional duty.
- MBEx tip:** *Self-care is professional practice, not indulgence - a burned-out therapist is a liability.*
- Example:** You book no more than five sessions per day and take a 15-minute reset between each.

10 Emergency Procedures & First Aid

- Key facts:** Every practice needs a plan: emergency contacts, first-aid supplies, and training (CPR/AED is required by many states and employers). Know what to do for fainting, dizziness, cuts, allergic reactions, and seizure, and when to call 911.
- MBEx tip:** *Current CPR/AED training + a stocked first-aid kit + a written plan = emergency readiness.*
- Example:** A client faints at the end of a session; you lower them safely, elevate their legs, and monitor while calling for help if they do not recover.

11 Client Safety During Sessions

- Key facts:** Client safety includes: checking comfort and positioning, monitoring for signs of distress (pain, numbness, dizziness, nausea), ensuring the client can exit safely, and adapting pressure/positioning immediately to client feedback.
- MBEx tip:** *Check in regularly - pressure, temperature, position - and act on the answer immediately.*
- Example:** A client reports tingling in the arm during shoulder work; you reposition and lighten immediately.

12 Fire Safety & Office Safety

- Key facts:** Know your office's fire exits, extinguisher locations, and evacuation plan; keep walkways clear and equipment maintained. Electrical safety applies to hot-stone heaters and any equipment.
- MBEx tip:** *Know the exits and extinguisher location as part of your opening checklist.*
- Example:** You point out the fire exit to a new staff member during orientation.

13 Recordkeeping & Retention Rules

- Key facts:** Client records are kept confidential, secure (locked storage or encrypted), and retained per state law; business records (invoices, insurance, CE certificates) are also retained for tax and compliance periods.
- MBEx tip:** *Secure both client and business records - retention periods apply to both.*
- Example:** Your CE certificates go in the same organized file you keep for tax and board compliance.

14 Liability Insurance

- Key facts:** Professional liability insurance covers claims of negligence or injury arising from your practice; many employers and boards require proof of coverage. It protects both the therapist and the client's ability to pursue legitimate claims.
- MBEx tip:** *Liability coverage is standard professional protection - carry it and know its limits.*
- Example:** Before renting a room in a spa, you confirm your own liability policy and the spa's premises coverage.

15 Business Ethics & Marketing

- Key facts:** Ethical business practice: truthful pricing and claims, clear cancellation and refund policies, honoring gift certificates, no deceptive sales pressure, and professional handling of complaints.
- MBEx tip:** *Complaints are handled professionally and documented - defensiveness escalates them.*
- Example:** A client objects to a charge; you review the policy, explain calmly, and resolve it fairly.

16 Employment vs Independent Contractor

Key facts: Massage therapists may be employees (the employer controls hours, schedule, supplies, and methods) or independent contractors (you control your practice; the spa provides space). Misclassification has legal and tax consequences - the relationship, not the label, determines it.

MBEx tip: *Independent = you control how and when the work is done; employee = the employer does.*

Example: A therapist who sets their own schedule, brings their own oil, and sets their own rates is likely an independent contractor.

17 Client Scheduling & Documentation of Appointments

Key facts: Professional practice includes reliable scheduling: clear appointment policy, reminders, no-shows handled per policy, and the appointment documented in the client record.

MBEx tip: *The schedule and the policy protect both parties - write the policy down.*

Example: Your policy charges for no-shows under 24 hours; you enforce it consistently for all clients.

18 Advertising & Web Presence

Key facts: Your website and listings must be accurate: current license info, truthful service descriptions, verifiable credentials (e.g., 'certified' only if genuinely certified), and professional photos with client consent only.

MBEx tip: *Certifications are claimed only when real - unverifiable credentials are false advertising.*

Example: Your site says 'licensed massage therapist, 750 clinical hours, MBEx passed' - all accurate and documentable.

19 Continuing Competence & Professional Development

Key facts: Staying current means CE in your state's required subjects, reading professional literature, attending trainings, and practicing within your current skill level (only techniques you are actually trained in).

MBEx tip: *Practice only what you have trained in - a technique learned just from a video is beyond your competence.*

Example: You take a certified cupping course before offering cupping to clients.

20 Practice Within Training

Key facts: Each modality you offer (deep tissue, MLD, sports, prenatal, hot stone, cupping, etc.) requires specific training; offering a modality you are not trained in is both unsafe and an ethical violation.

MBEx tip: *Credentials match services: MLD and prenatal work require their specific trainings - list only what you hold.*

Example: You decline to offer prenatal massage until you complete the prenatal certification.

21 Working with Other Professionals

Key facts: A professional practice coordinates with physicians, physical therapists, chiropractors, and other providers when the client's care overlaps - with the client's consent for information sharing. Professional courtesy and clear scope respect keep the care team functional.

MBEx tip: *Coordinate, do not compete, with the client's care team - consent before sharing info.*

Example: You send a brief (consented) progress summary to the physical therapist who also treats the client.

22 Business Taxes & Compliance Basics

Key facts: Therapists handle their business obligations: proper tax classification (employee vs contractor), reporting income, sales tax where applicable, and registration/business license per local rules.

MBEx tip: *Know your local business license and tax obligations - they are part of practicing legally.*

Example: You register your home practice with the city and set aside taxes from each session's income.

23 Scope & Referral in Practice

Key facts: When a client's condition needs another professional (physician, PT, mental health), referral is part of the treatment plan, documented, and followed up - practicing at the edge of scope is how licenses are lost.

MBEx tip: *Refer early and document - protecting scope protects the client and your license.*

Example: You refer a client whose anxiety is significant to a counselor, and you note the referral in the record.

24

Client Education & Home Care

Key facts:	Client education (home stretches, ergonomics, self-care, hydration) extends treatment between sessions and builds the client's agency. Education stays within your scope - it is guidance about self-care, not medical advice.
MBLEx tip:	<i>Home care = 10-15 minutes of clear, written self-care guidance the client can actually do.</i>
Example:	You print a 3-step desk-stretch routine for an office worker and review it with them.

25

Professional Boundaries in Business Settings

Key facts:	Business relationships (renting, working with staff, spa politics) are managed with the same boundaries as client care: no exploitation, clear agreements, and professional conflict resolution.
MBLEx tip:	<i>Clear written agreements prevent boundary disputes in business relationships.</i>
Example:	Your rental agreement with the spa is signed, specifying room use, hours, and fees.

26

Quality Assurance & Client Feedback

Key facts:	Soliciting anonymous client feedback and acting on it is a quality-assurance practice; complaints are reviewed, addressed, and documented, and practice improvements follow.
MBLEx tip:	<i>Feedback systems catch problems early - and the board expects you to act on complaints.</i>
Example:	A client suggests softer music; you adjust the practice playlist and note the improvement.

PART 9: FINAL REVIEW - THE HIGHEST-YIELD ITEMS TO DRILL

Run this list in your final two days. Every line is a likely MBEx item - drill the tips until they are immediate.

1 MBEx Logistics

Key facts: 100 scored questions, 110 minutes, fixed-length CAT, Pearson VUE, \$265 fee, PASS/FAIL, diagnostic by domain, 30-day retake wait.

MBEx tip: *Memorize the numbers cold - one logistics item costs you nothing to get right.*

Example: A question asks the retake wait: 30 days.

2 Rule of Absolutes

Key facts: Fever, contagious skin conditions, and acute DVT are absolute contraindications; varicose veins, recent injuries, and local lesions are local; most chronic conditions are cautions to modify.

MBEx tip: *Sort every contraindication item into absolute / local / caution instantly.*

Example: A session is rescheduled for a client with a fever - absolute.

3 DVT Red Flag

Key facts: Unilateral calf pain + swelling, especially after immobility - stop, never massage, refer for medical evaluation; massage could dislodge a clot.

MBEx tip: *DVT = NEVER massage the limb - the one absolutely fatal mistake in the contraindication questions.*

Example: A post-flight client with a hot, swollen calf is referred, not treated.

4 Lymph Rule

Key facts: Lymph moves with light, directional pressure toward nodes; deep pressure compresses lymph vessels instead of draining them.

MBEx tip: *MLD = feather-light and directional - deepest common error in the lymph items.*

Example: Light hand-over-hand strokes toward the axilla support lymph flow.

5 Autonomic Balance

Key facts: Slow, rhythmic massage shifts toward the parasympathetic: heart rate and blood pressure fall, breathing slows; cortisol falls while serotonin and dopamine rise.

MBEx tip: *'Relaxation response' = parasympathetic - recognize it in every stress item.*

Example: A client's pulse falls from 74 to 62 after a session - parasympathetic effect.

6 Pain Gate & Endorphins

Key facts: Touch input closes the spinal pain gate and raises endorphins - the two mechanisms behind massage-related pain relief.

MBEx tip: *Gate = touch; endorphins = chemistry; pick the mechanism the question is asking about.*

Example: Rubbing around a sore spot eases it - gate control.

7 Trigger Point Sequence

Key facts: Trigger point = tender spot in a taut band; treatment = sustained compression, client feedback, then stretch.

MBEx tip: *Order matters: compress, confirm, release, stretch.*

Example: You hold a trapezius knot for 45 seconds, then stretch the neck.

8 Contraction Types

Key facts: Isometric = same length; concentric = shortening; eccentric = lengthening under load.

MBEx tip: *Lift = concentric, lower = eccentric, push-against-wall = isometric - match the action.*

Example: Slowly lowering the dumbbell is eccentric.

9 Third-Class Levers

Key facts:	Most body levers are third-class (effort between fulcrum and load) - they favor speed and range over force.
MBLEx tip:	<i>Most body levers are third-class - the elbow lifting a cup is the standard example.</i>
Example:	The elbow is a third-class lever.

10 Plane Pairs

Key facts:	Sagittal = flexion/extension; frontal = abduction/adduction; transverse = rotation.
MBLEx tip:	<i>Plane + movement pairings are direct - one-to-one matches.</i>
Example:	A jumping jack moves the arms in the frontal plane.

11 Proprioceptors

Key facts:	Muscle spindles sense length (stretch reflex); Golgi tendon organs sense tension (relaxation reflex); both feed proprioception.
MBLEx tip:	<i>Spindle = length, GTO = tension - pair the receptor with what it senses.</i>
Example:	A knee-jerk test is the spindle's stretch reflex.

12 SOAP

Key facts:	SOAP note = Subjective, Objective, Assessment, Plan - every session documented this way.
MBLEx tip:	<i>Label each finding into its SOAP slot when you chart.</i>
Example:	Pain report = S; measured ROM = O; your read = A; next session = P.

13 Consent & Draping

Key facts:	Informed consent is explained, agreed, documented, and revocable; draping exposes only the treated area with the client participating.
MBLEx tip:	<i>Consent before every session; uncover only the working area, re-cover as you go.</i>
Example:	You release the drape only over the leg you are treating.

14 Zero-Tolerance Ethics

Key facts:	No sexual conduct with clients - ever, even if initiated by the client; boundary violations and dual-relationship exploitation are violations.
MBLEx tip:	<i>The 'client asks for more' item is always zero tolerance.</i>
Example:	A proposition is met with a professional end to the session and documentation.

15 Body Mechanics

Key facts:	Protect the therapist: table at elbow height, use body weight and legs, forearms over thumbs, wide stable stance.
MBLEx tip:	<i>Table height and body-weight technique prevent career-ending injuries.</i>
Example:	You lower the table for deep tissue and lean with your body weight.

PART 10: TEST-DAY STRATEGY

Logistics, pacing, and decision habits for the 110-minute CAT. The best-prepared candidate also manages the room, the clock, and their own nerves.

1 Before the Appointment

- Key facts:** Confirm your eligibility, your appointment time, and the Pearson VUE location; bring a current, government-issued photo ID that matches your registration; and arrive early. Know the testing-center rules (no personal items in the room - lockers are provided).
- MBLEx tip:** *ID + location + arrival time are the only three things that get you into the room - triple-check them.*
- Example:** You arrive 30 minutes early with your ID and registration confirmation.

2 Eligibility & Rescheduling

- Key facts:** Your FSMTB eligibility period is limited; rescheduling or cancellation rules apply through Pearson VUE. The \$265 fee is nonrefundable - if you must move the appointment, do it within the rules to avoid forfeiting the fee.
- MBLEx tip:** *Move-within-the-rules = save the fee; no-show = lose the \$265.*
- Example:** You reschedule two days ahead per the policy instead of forfeiting.

3 Know the 110-Minute Pace

- Key facts:** 100 questions in 110 minutes is about 66 seconds per question. Pace in quarters: roughly 25 minutes per 25 questions, checking the on-screen timer after each quarter.
- MBLEx tip:** *Use the quarter checkpoints - at question 25 you should be near minute 28.*
- Example:** At Q25/min30 you are comfortable; at Q50/min65 you pick up the pace.

4 Answer Every Question

- Key facts:** There is no guessing penalty on the MBLEx - unanswered questions are wrong. Eliminate distractors and commit to a best answer on every item.
- MBLEx tip:** *Never leave a blank - an educated guess always beats a skip.*
- Example:** You are torn on Q88; you eliminate two options, pick the better remaining one, and move on.

5 Process of Elimination

- Key facts:** On MBLEx items, two of the four options are usually clearly wrong (opposite, out-of-scope, or extreme). Cross them out and choose between the remaining two on the merits.
- MBLEx tip:** *'Never'/'always' answers are usually wrong; scope-of-practice violations are traps.*
- Example:** An option saying 'always massage aggressively' is eliminated instantly.

6 The Contraindication First Read

- Key facts:** For every scenario item, read the client's condition BEFORE the technique: identify absolute vs local vs caution. The correct answer usually protects the client first and treats second.
- MBLEx tip:** *Safety first in every scenario - the answer that protects the client wins.*
- Example:** A scenario with 'fever' makes the 'reschedule' option correct regardless of the massage technique described.

7 Visualize Ethics Standards

- Key facts:** Ethics items are answered by the code: confidentiality, informed consent, boundaries, zero tolerance, scope. When two options seem equal, pick the one that preserves the professional boundary.
- MBLEx tip:** *Pick the most protective option for the client and the profession - that is the code.*
- Example:** A confidentiality question's correct answer always involves written authorization.

8 Flagging on the CAT

- Key facts:** If the testing software lets you revisit items within a section, flag the uncertain ones and return if time allows - but on a CAT, items may lock after you move on, so commit as you go and use flags sparingly.
- MBLEx tip:** *On a CAT assume each answer is final when you click - decide, click, move.*
- Example:** You treat every click as final and never look back, keeping momentum.
-

9 Managing Nerves & Focus

- Key facts:** Use controlled breathing at the start and between questions; remember a single hard question is just one item out of 100 - the CAT is scoring your overall ability. Take the optional breaks if offered.
- MBLEx tip:** *One hard item does not define the exam - reset and continue.*
- Example:** After a rough stretch of items you take two slow breaths and move on.
-

10 On-Screen Result & After

- Key facts:** Your result (PASS or FAIL) appears on screen; the diagnostic summary by domain follows. Document your result, and if you did not pass, plan your 30-day retake using the diagnostic to target your weakest domains.
- MBLEx tip:** *Read the diagnostic, not just the verdict - it is the roadmap for a retake.*
- Example:** You receive a PASS and note the domains to keep fresh for practice.
-

More from TemplateForge

PALS, CCRN, CEN, and ACLS study guides - the nursing certification review series. NCLEX-RN and TEAS 7 study guides for nursing school and licensure. Medical Coding, Pharmacy Tech, and EMT study guides. Spanish for Healthcare Professionals - the 208-phrase clinical communication workbook. Freelancer, finance, teacher, and health planning dashboards. Visit the TemplateForge store for the full catalog.

Non-affiliation notice: the MBLEx is administered by the Federation of State Massage Therapy Boards (FSMTB). This publication is an independent study aid written by an unaffiliated author. It is not sponsored, endorsed, or approved by, and is not affiliated with, FSMTB, Pearson VUE, or any state massage therapy board, and it does not reproduce FSMTB's copyrighted test items or materials.